SILVERLINK 600



Lincat

Electric

No

Silverlink 600

Counter-top

5056105100164

2 Years Parts and Labour Warranty

Contact your local dealer

PB33 - Lincat Silverlink 600 Electric Counter-top Pasta Cooker - Single Tank - W 300 mm - 3.0 kW Not only does the Silverlink 600 Electric Pasta Boiler deliver perfect pasta every time, it also has the versatility to be used as a steamer and Bain Marie, too.

- Oelivering perfect pasta, time after time
- Front mounted controls ensure safe working practice
- Hinging element with safety cut-out provides easy access to tank for cleaning
- Thermostatic control maintains accurate water temperature
- Enhanced resistance to punishing salt and starch corrosion with high quality grade 304 stainless steel tanks, basket support plates, and corrosion-resistant elements
- Front drain taps with straight drain pipes for fast, easy drainage of water - and no blockages
- Lid to reduce heat up time and also cover tanks when not in use

Specifications

Available in UK Only

Summary

Power Type

UK Warranty

Export Warranty

Unit Type

Brand

Range

GTIN

Power and Performance

Total Power kW
IP Rating
Temperature Control

3.0
IP33
Mechanical

Key Specifications		Capacity	Capacity	
Number of Baskets	0	Product Output per Hour	5kg pasta - penne[fresh]	
Number of Tanks	1	Capacity Litres	11	
Weights and Dimensions		Supply Connections		
Unit Height (External) mm	330	Requires Installation	No	
Unit Width (External) mm	300	Requires Electrical Supply	Yes	
Unit Depth (External) mm	600	UK 3 Pin Plug	Yes	
Net Weight Kg	12.5	Requires Hardwiring	No	
		Electrical Supply Rating Watts	3,000	
		Single Phase Amps	13.0	
		Single Phase Voltage	230	

Shipping

Packed Weight Kg	13.75
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	40


Available Accessories		
BA112	BASKET PASTA	
BA114	BASKET 1/2 PASTA	
BA115	BASKET R/H 1/4 PASTA	
BA116	BASKET L/H 1/4 PASTA	


lincat


SILVERLINK 600

Available Accessories			
CC3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm		
CN3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm		
HC3	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW		
HCL3	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW		
SLS3	Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm		

Technical Picture









SILVERLINK 600

Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm