## lincat

# SILVERLINK 600



BM7XAW - Lincat Silverlink 600 Electric Counter-top Bain Marie -Wet Heat - Gastronorms -Base + Dish Pack - W 750 mm - 2.0 kW The Silverlink 600 Electric Wet Heat Bain Marie safely holds sauces, soups, gravy and precooked foods for up to two hours at the ideal serving temperature

#### Wet heat bain marie

- Ideal for holding foods for up to 2 hours at serving temperature
- 2 x 1/1 150mm deep gastronorms with lids are included
- This wet unit can also be used as a dry bain marie

#### Plug and play for an easy installation

- Perfect for safely holding sauces, gravy & precooked foods
- Adjustable temperature control

## **Specifications**

Summary		Power and Performance	
Brand Range Power Type Unit Type Available in UK Only	Lincat Silverlink 600 Electric Counter-top No	Total Power kW IP Rating Temperature Control	2.00 IP33 Mechanical
UK Warranty Export Warranty GTIN	2 Years Parts and Labour Warranty Contact your local dealer 5056105100676		
Key Specifications		Capacity	
Drain Location Pot Type Type of Heat	Front-mounted Gastronorm Wet	Gastronorm Capacity	2 x GN1/1
Weights and Dimensions		Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg	290 750 600 21.9	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Single Phase Amps Single Phase Voltage	No Yes No 2,000 8.7 230

### Shipping

Packed Weight Kg	24.09
Packed Height cm	49.5
Packed Width cm	85.5
Packed Depth cm	70

## Available Accessories

CC7 CN7 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 750 mm

Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 750 mm

Product Code: BM7XAW


Page Number: 1


## lincat


## SILVERLINK 600

Available Accessories		
HC7	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 750 mm - 0.5 kW	
HCL7	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 750 mm - 0.75 kW	
SLS7	Lincat Silverlink 600 Free-standing Floor Stand - for units W 750 mm	

## **Technical Picture**









## **SILVERLINK 600**

# Lincat fift

### Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



### Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

### **Export Customers**

Tel: +44 1522 875536

Email: export@lincat.co.uk

### **Opening Hours**

Monday – Friday: 8.30am – 5pm