lincat



LCO - Lincat Lynx 400 Electric Counter-top Convection Oven - W 555 mm - D 488mm - 2.5 kW

- Ideal for pubs, leisure clubs and cafes, wishing to offer hot food where kitchen space is limited. Allows you to offer hot pies, pastries, pizzas and the like
- Fan assisted for uniform heat and consistent cooking results - perfect for smaller bake-off use and for roasting
- Double-glazed glass door and internal light for safe, energy-efficient operation
- Two removable chromed rod shelves

When space is limited, the 2.5kW Lynx 400 Electric Countertop Convection Oven is the ideal solution.

Stainless steel interior for easy cleaning

- Robust door hinges and positive door catch
- User-replaceable inner door glass, light bulb and door seal - avoids costly service calls for routine maintenance

Specifications

Summary

Brand Range Power Type Unit Type Available in UK Only **UK Warranty** Export Warranty GTIN

Lincat Lynx 400 Electric Counter-top No 2 Years Parts and Labour Warranty Contact your local dealer 5056105101222

Power and Performance

- Total Power kW Temperature Range °C **IP** Rating **Controls Position Temperature Control**
- 25 50-250 IP23 Right hand side Mechanical

Key Specifications

Continuous Plug-In Door Seal	Yes
Removable Inner Door Glass	Yes
Handle Type	Grab
Reversible Door	No
Door Type	Left Hinged
Phased Cooking	No
Shelf Timer(s) (Number)	No
Grill Element/Mode	No
Core Temp Probe	No
Steam Injection	No
Fan(s) Speed	1
Fan(s) Type	Single Direction
Number of Fan(s)	1
Euronorm Compatible	No
Sheet Pan Compatible	Yes
Manual Mode	Yes
Programmable	No
Number of Shelves included	2
Number of Shelf Positions	2
Type of Lighting	Filament Bulb
GN Compatible	Yes

Capacity

Gastronorm Capacity Sheet Pan Capacity **Capacity Litres**

2 x GN1/2 2 x 460 mm x 300 mm 33.0

lincat

Weights and Dimensions


Weights and Dimensions		Supply Connections	
Unit Height (External) mm	371	Requires Installation	Να
Unit Width (External) mm	555	Requires Electrical Supply	Yes
Unit Depth (External) mm	488	UK 3 Pin Plug	Yes
Height (Internal) mm	270	Requires Hardwiring	No
Width (Internal) mm	385	Electrical Supply Rating Watts	2,500
Depth (Internal) mm	320	Single Phase Amps	10.9
Shelf Dimensions Width mm	378	Single Phase Voltage	230
Shelf Dimensions Depth mm	300	USB Port	No
Net Weight Kg	24.7		


Shipping


Packed Weight Kg	30.1
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	70

Packed Width cm	70
Packed Depth cm	70

Technical Picture









Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250 Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm