lincat

SILVERLINK 600



DF36 - Lincat Silverlink 600 Electric Counter-top Single Tank Fryer - 1 Basket - W 300 mm - 6.0 kW

- Higher powered elements deliver an impressive
 26kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil

The Silverlink 600 Electric Counter Top Fryer comes with higher powered elements to deliver 26kg of chips per hour, and is perfect for mobile operations, cafes, pubs and restaurants.

- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	6.0
Range	Silverlink 600	Temperature Range °C	130-190
Power Type	Electric	IP Rating	IP33
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105104582		
Key Specifications		Capacity	
Number of Baskets	1	Product Output per Hour	18kg chips - 12mm [frozen], 26kg chips -
Number of Tanks	1	rioddet odipat per nour	12mm[chi
Gravity Filtration	No	Capacity Litres	9.0
Pumped Filtration	No		
Drain Location	Front-mounted		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	Yes
Unit Width (External) mm	300	Requires Electrical Supply	Yes
Unit Depth (External) mm	632	UK 3 Pin Plug	No
Net Weight Kg	14	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	6,000
		Single Phase Amps	26.0
		Single Phase Voltage	230
		Three Phase Amps	L1=13.0; L2=13.0; L3=N/A

Three Phase Voltage

Shipping

Packed Weight Kg	
Packed Height cm	49.5
Packed Width cm	
Packed Depth cm	40

400


lincat


SILVERLINK 600


Available Accessories


BA96	BASKET SPUN DFSMALL
CC3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm
CN3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm
HC3	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW
HCL3	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW
SLS3	Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm

Technical Picture











SILVERLINK 600

Lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



Tel: +44 1522 875500 Email: care@lincat.co.uk

Customer Care

Export Customers

Tel: +44 1522 503250 Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm