SILVERLINK 600



BM4W - Lincat Silverlink 600 Electric Counter-top Bain Marie - Wet Heat -Gastronorms - Base only -W 450 mm - 1.0 kW The Silverlink 600 Electric Wet Heat Bain Marie safely holds sauces, soups, gravy and precooked foods for up to two hours at the ideal serving temperature

- 🔗 Wet heat bain marie
- Ideal for holding foods for up to 2 hours at serving temperature
- Base unit only supplied empty no gastronorms included
- This wet unit can also be used as a dry bain marie

Plug and play for an easy installation

- Perfect for safely holding sauces, gravy & precooked foods
- Adjustable temperature control

Specifications

| Summary | | Power and Performance | |
|---|--|--|--|
| Brand Range Power Type Unit Type Available in UK Only UK Warranty Export Warranty GTIN | Lincat Silverlink 600 Electric Counter-top No 2 Years Parts and Labour Warranty Contact your local dealer 5056105100423 | Total Power kW IP Rating Temperature Control | 1.00 IP33 Mechanical |
| Key Specifications | | Capacity | |
| Drain Location Pot Type Type of Heat | Front-mounted Gastronorm Wet | Gastronorm Capacity | 1 x GN1/1 |
| Weights and Dimensions | | Supply Connections | |
| Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg | 290 450 600 11.1 | Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Single Phase Amps Single Phase Voltage | No Yes Yo 1,000 4.3 230 |

Shipping

| Packed Weight Kg | 12.21 |
|------------------|-------|
| Packed Height cm | 49.5 |
| Packed Width cm | 70 |
| Packed Depth cm | 55 |


| Available Accessories | | |
|-----------------------|---|--|
| CC4 | Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm | |
| CN4 | Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm | |
| HC4 | Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW | |


lincat


SILVERLINK 600

| Available Accessories | | |
|-----------------------|---|--|
| HCL4 | Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW | |
| SLS4 | Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm | |

Technical Picture









SILVERLINK 600

Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm